IN THE CLAIMS

1. (Currently amended) A method for dynamically controlling cooling <u>systems</u> resources in a data center comprising:

determining a workload within the data center;

determining an amount of heat being generated as a function of the workload; and

activating each of a plurality of different types of cooling <u>systems</u> resources within the data center in an optimal fashion based on the heat being generated.

- 2. (Currently Amended) The method of claim 1 wherein the optimal fashion is based on a cost associated with the activation of each of the plurality of different cooling systems resources.
- 3. (Currently Amended) The method of claim 1 wherein the method further comprises:

deactivating one or more of the activated plurality of different types of cooling systems resources within the data center based on a reduction in the amount of power being consumed by the workload.

- 4. (Original) The method of claim 1 wherein the amount of heat being generated is a function of an amount of power being consumed by the data center.
- 5. (Currently Amended) The method of claim 4 wherein each of the plurality of cooling systems resources has a cooling capability wherein the cooling capability is a function of an amount of heat that can be removed by the cooling system resource and the act of activating each of a plurality of different cooling systems resources in an optimal fashion further comprises:

activating each of a plurality of different cooling <u>systems</u> resources based on the amount of heat that can be removed by each of the plurality of cooling <u>systems</u> resources.

- 6. (Currently Amended) The method of claim 1 wherein the plurality of cooling systems resources comprises an air-based cooling system resource, a liquid-based cooling system resource and a gas-based cooling system resource.
- 7. (Currently Amended) The method of claim 6 wherein the act of activating each of a plurality of different cooling systems resources within the data center in an optimal fashion further comprises:

activating the air-based cooling <u>system</u> resource before the liquid-based cooling <u>system</u> resource; and

activating the liquid-based cooling <u>system</u> resource before the gas-based cooling <u>system</u> resource.

8. (Currently Amended) A system for dynamically controlling cooling systems resources in a data center comprising:

means for determining a workload within the data center;

means for determining an amount of heat being generated as a function of the workload; and

means for activating each of a plurality of different types of cooling systems resources coupled within the data center in an optimal fashion based on the amount of heat being generated.

9. (Currently Amended) The system of claim 8 wherein the method further comprises:

means for deactivating one or more of the activated plurality of different types of cooling systems resources within the data center based on a reduction in the amount of heat being generated.

- 10. (Original) The system of claim 8 wherein the amount of heat being generated is a function of an amount of power being consumed by the data center.
- 11. (CurrentlyAmended) The system of claim 10 wherein each of the plurality of cooling systems resources has a cooling capability wherein the cooling capability is a function of an amount of heat that can be removed by the cooling system resource and the means for activating each of a plurality of different cooling systems resources in an optimal fashion further comprises:

means for activating each of a plurality of different cooling <u>systems</u> resources based on the amount of heat that can be removed by each of the plurality of cooling <u>systems</u> resources.

- 12. (Currently Amended) The system of claim 11 wherein the plurality of cooling systems resources comprises an air-based cooling system resource, a liquid-based cooling system resource and a gas-based cooling system resource.
- 13. (Currently Amended) The system of claim 12 wherein the means for activating each of a plurality of different cooling <u>systems</u> resources within the data center in an optimal fashion further comprises:

means for activating the air based cooling <u>system</u> resource before the liquid based cooling <u>system</u> resource and the gas based cooling <u>system</u> resource; and

means for activating the liquid based cooling system resource before the gas based cooling system resource.

- (Currently Amended) A data center comprising:
 a global computer system;
- a plurality of different cooling systems resources coupled to the global computer system; and
- a cooling <u>system</u> resource control module coupled to the global computer system and the plurality of different cooling <u>system</u> resource wherein the cooling <u>system</u>

resource control module includes logic for:

30 2006 6:51PM

determining a workload within the global computer system;

determining an amount of heat being generated as a function of the workload; and

activating each of a plurality of different types of cooling systems
resources coupled to the global computer system in an optimal fashion based on the
amount of heat being generated.

- 15. (Currently Amended) The data center of claim 14 wherein the optimal fashion is based on a cost associated with the activation of each of the plurality of different cooling systems resources.
- 16. (Currently Amended) The data center of claim 14 wherein the cooling system resource control module further comprises logic for:

deactivating one or more of the activated plurality of different types of cooling systems resources within the data center based on a reduction in the amount of heat being generated.

- 17. (Original) The data center of claim 14 wherein an amount of heat being dissipated by the global computer system is a function of an amount of power being consumed by the global computer system.
- 18. (Currently Amended) The data center of claim 17 wherein each of the plurality of cooling systems resources has a cooling capability wherein the cooling capability is a function of an amount of heat that can be removed by the cooling system resource and the logic for activating each of a plurality of different cooling systems resources in an optimal fashion further comprises logic for:

activating each of a plurality of different cooling systems resources based on the amount of heat that can be removed by each of the plurality of cooling systems resources.

- 19. (Currently Amended) The data center of claim 14 wherein the plurality of cooling systems resources comprises an air-based cooling system resource, a liquid-based cooling system resource and a gas-based cooling system resource.
- 20. (Currently Amended) The data center of claim 19 wherein the logic for activating each of a plurality of different cooling <u>systems</u> resources coupled to the global computer system in an optimal fashion further comprises logic for:

activating the air based cooling <u>system</u> resource before the liquid based cooling <u>system</u> resource; and

activating the liquid based cooling <u>system</u> resource before the gas based cooling <u>system</u> resource.

21. (Currently Amended) A computer program product for dynamically controlling cooling systems resources in a global computer system, the computer program product comprising a computer usable medium having computer readable program means for causing a computer to perform the steps of:

determining a workload within the global computer system;

determining an amount of heat being generated as a function of the workload; and

activating each of a plurality of different types of cooling systems resources coupled to the global computer system in an optimal fashion based on the amount of heat being generated.

- 22. (Currently Amended) The computer program product of claim 21 wherein the optimal fashion is based on a cost associated with the activation of each of the plurality of different cooling systems resources.
- 23. (Currently Amended) The computer program product of claim 21 further comprising means for causing a computer to perform the step of:

deactivating one or more of the activated plurality of different types of cooling

systems resources within the data center based on a reduction in the amount of heat being generated.

- 24. (Currently Amended) The computer program product of claim 21 wherein the plurality of cooling <u>systems</u> resources comprises an air-based cooling <u>system</u> resource, a liquid-based cooling <u>system</u> resource and a gas-based cooling <u>system</u> resource.
- 25. (Currently Amended) The computer program product of claim 19 wherein the step of activating each of a plurality of different cooling systems resources coupled to the global computer system in an optimal fashion further comprises:

activating the air-based cooling <u>system</u> resource before the liquid-based cooling <u>system</u> resource and the gas-based cooling <u>system</u> resource; and

activating the liquid-based cooling <u>system</u> resource before the gas-based cooling system resource.

26. (Currently Amended) A cooling <u>system</u> resource control module for a data center comprising:

determination logic for:

determining a workload within the data center; and

determining an amount of heat being generated as a function of the workload; and activation logic for activating each of a plurality of different types of cooling systems resources within the data center in an optimal fashion based on the amount of heat being generated.

27. (Currently Amended) The cooling <u>system</u> resource control module of claim 26 further comprising logic for:

deactivating one or more of the activated plurality of different types of cooling systems resources within the data center based on a reduction in the amount of heat being generated.

p.10

- (Currently Amended) The cooling system resource control module of claim 26 28. wherein the plurality of different types of cooling systems resources comprise an airbased cooling system resource, a liquid-based cooling system resource and a gas-based cooling system resource.
- (Currently Amended) The cooling system resource control module of claim 28 29. wherein the logic for activating each of a plurality of different types of cooling systems resources within the data center in an optimal fashion further comprises logic for:

activating the air-based cooling system resource before the liquid-based cooling system resource and the gas-based cooling system resource; and

activating the liquid-based cooling system resource before the gas-based cooling system resource.